

### Certificate of Analysis No. 138/2026

**Control laboratory:**

Lagom Pharmatech s.r.o., Osek 401, 338 21 Osek  
IČ: 095 14 538, DIČ: CZ699007808

GMP Certificate No.: sukls12345/2025

Product:	Cannabis for medical use
Type:	Cannabis Flos
Strain:	Oreoz
Name of the product:	McCann 24/1
Type of medicinal substance:	dried flower
Package size:	10 grams
Batch No.:	15280825_2
Expiry date:	31.10.2026
Producer / Batch releaser:	Lagom Pharmatech s.r.o., No. 401, 338 21 Osek, CZ GMP certificate No.: sukls12351/2025
Specification:	According Ph. Eur. 3028 (current edition)

**Range of Analyses:**

Test	Method	Acceptance limits (Specification)	Results	Complies
<b>Identity <sup>1)3)</sup></b>				
Odour <sup>1)</sup>	Ph.Eur.3028	Characteristic of cannabis flowers	Complies	YES
Macroscopic examination (appearance) <sup>1)</sup>	Ph.Eur 3028	Comply with monograph	Complies	YES
Microscopy <sup>1)</sup>	Ph.Eur. 3028/2.8.23	Comply with monograph	Complies	YES
TLC <sup>3)</sup>	Ph.Eur. 3028/2.8.25	Comply with monograph	Complies	YES
<b>Purity <sup>1)4)</sup></b>				
Loss on drying <sup>4)</sup>	Ph.Eur. 3028/ 2.2.32	≤ 12,0 %	10,80 %	YES
Foreign matter <sup>1)</sup>	Ph. Eur.3028/ 2.8.2	≤ 2 %, no seeds and no leaves larger than 1 cm	Complies	YES
Pesticides residues <sup>1)</sup>	Ph. Eur. 2.8.13	Below limits in Ph. Eur.	Complies	YES
<b>Assay of cannabinoids content <sup>1)</sup></b>				
Total THC (tetrahydrocannabinol)	Ph. Eur. 3028/ 2.2.29	24 % (± 10%)	22,83 %	YES
Suma CBD (cannabidiol)	Ph. Eur. 3028/ 2.2.29	≤ 1,0 %	< LOQ (0,2 %)	YES
Related substance Suma CBN (cannabinol)	Ph. Eur. 3028/ 2.2.29	≤ 1,0 %	0,05 %	YES

Absence of heavy metals <sup>1)</sup>				
Cadmium	Ph. Eur. 2.4.27	≤ 0,3 µg/g	< LOQ (0,002 µg/g)	YES
Mercury and its compounds	Ph. Eur. 2.4.27	≤ 0,1 µg/g	< LOQ (0,02 µg/g)	YES
Lead	Ph. Eur. 2.4.27	≤ 0,5 µg/g	N.D.	YES
Arsen	Ph. Eur. 2.4.27	≤ 0,2 µg/g	N.D.	YES
Mycotoxins purity <sup>1)</sup>				
Aflatoxin B1	Ph. Eur. 2.8.18	≤ 2 µg/kg	< 2 µg/kg	YES
Sum of aflatoxins (B1, B2, G1, G2)	Ph. Eur. 2.8.18	≤ 4 µg/kg	< 4 µg/kg	YES
Ochratoxin A	Ph. Eur. 2.8.22	≤ 20 µg/kg	< 20 µg/kg	YES
Microbiological purity – Comply with Ph. Eur. 2.6.12 <sup>2)</sup>				
TAMC	Ph. Eur. 2.6.12, limits by 5.1.8 C	Max. 500.000 CFU/g	< 1000 CFU/g	YES
TYMC	Ph. Eur. 2.6.12, limits by 5.1.8 C	Max. 50.000 CFU/g	< 100 CFU/g	YES
Bile-tolerant Gram-negative bacteria	Ph. Eur. 2.6.31	≤ 10 <sup>4</sup> CFU/g	Absence/1g	YES
Escherichia coli	Ph. Eur. 2.6.31	Absence / 1 g	Absence/1g	YES
Salmonella sp.	Ph. Eur. 2.6.31	Absence / 25 g	Absence/25g	YES
Pseudomonas aeruginosa	Ph. Eur. 2.6.13, 5.1.8 C	Absence / 1 g	Absence / 1 g	YES
Staphylococcus aureus	Ph. Eur. 2.6.13, 5.1.8 C	Absence / 1 g	Absence / 1 g	YES

\*N.D. – Not detected

#### Testing sites:

<sup>1)</sup> Lagom Pharmatech s.r.o.  
č.p. 401, 338 21 Osek, CZ  
GMP certificate No.: sukls12345/2025

<sup>2)</sup> ITEST plus s.r.o.,  
Kladská 1032, 500 03 Hradec Králové, CZ  
GMP certificate No.: sukls168097/2023

<sup>3)</sup> Zdravotní ústav se sídlem v Ústí nad Labem,  
Zkušební laboratoř Hradec Králové, pracoviště č. 1a HK,  
Nezvalova 958, 500 03 Hradec Králové  
GMP certificate No.: sukls82505/2024

<sup>4)</sup> Zdravotní ústav se sídlem v Ústí nad Labem,  
Zkušební laboratoř Hradec Králové, pracoviště č. 1a HK,  
Nezvalova 958, 500 03 Hradec Králové  
GMP certificate No.: sukls82505/2024

#### Conclusion of testing:

I hereby confirm that the information provided is true and complete. This batch of product has been analysed to the extent requested by the customer, in full compliance with EU-GMP requirements.

The certificate was issued by: Michaela Chvojkova, QC  
Controlled by: Sarka Sladkova, Head of QC  
Number of pages: 3  
Published on: 25.02.2026  
Approved: Tomas Fabricky, QM

