Certificate of Analysis No. 687/2026

Control laboratory:

Lagom Pharmatech s.r.o., Osek 401, 338 21 Osek
IČ: 095 14 538, DIČ: CZ699007808

GMP Certificate No.: sukls133658/2026

Product:	Cannabis for medical use
Type:	Cannabis Flos
Strain:	Permanent Marker
Name of the product:	MeCann 25/1
Type of medicinal substance:	dried flower
Package size:	10 grams
Batch No.:	44160626
Expiry date:	31.05.2027
Producer / Batch releaser:	Lagom Pharmatech s.r.o., No. 401, 338 21 Osek, CZ GMP certificate No.: sukls12351/2025
Specification:	According Ph. Eur. 3028 (current edition)

Range of Analyses:

Test	Method	Acceptance limits (Specification)	Results	Complies
Identity [1) 3)]				
Odour[1)]	Ph.Eur.3028	Characteristic of cannabis flowers	Complies	YES
Macroscopic examination (appearance)[1)]	Ph.Eur 3028	Comply with monograph	Complies	YES
Microscopy[1)]	Ph.Eur. 3028/2.8.23	Comply with monograph	Complies	YES
TLC [3)]	Ph.Eur. 3028/2.8.25	Comply with monograph	Complies	YES
Purity [1) 3)]				
Loss on drying[3)]	Ph.Eur. 3028/ 2.2.32	≤ 12,0 %	8,4 %	YES
Foreign matter[1)]	Ph. Eur.3028/ 2.8.2	≤ 2 %, no seeds and no leaves larger than 1 cm	Complies	YES
Pesticides residues[1)]	Ph. Eur. 2.8.13	Below limits in Ph. Eur.	Complies	YES
Assay of cannabinoids content [1)]				
Total THC (tetrahydrocannabinol)	Ph. Eur. 3028/ 2.2.29	25 % (± 10%)	25,00 %	YES
Suma CBD (cannabidiol)	Ph. Eur. 3028/ 2.2.29	≤ 1,0 %	≤ LOQ (0,2 %)	YES
Related substance Suma CBN (cannabinol)	Ph. Eur. 3028/ 2.2.29	≤ 1,0 %	0,04 %	YES

Absence of heavy metals [4]				
Cadmium	Ph. Eur. 2.4.27	≤ 0,3 µg/g	< 0,15 µg/g	YES
Mercury and its compounds	Ph. Eur. 2.4.27	≤ 0,1 µg/g	< 0,05 µg/g	YES
Lead	Ph. Eur. 2.4.27	≤ 0,5 µg/g	< 0,25 µg/g	YES
Arsen	Ph. Eur. 2.4.27	≤ 0,2 µg/g	< 0,10 µg/g	YES
Mycotoxins purity [1]				
Aflatoxin B1	Ph. Eur. 2.8.18	≤ 2 µg/kg	< LOQ (2 µg/kg)	YES
Sum of aflatoxins (B1, B2, G1, G2)	Ph. Eur. 2.8.18	≤ 4 µg/kg	< LOQ (2 µg/kg)	YES
Ochratoxin A	Ph. Eur. 2.8.22	≤ 20 µg/kg	< LOQ (2 µg/kg)	YES
Microbiological purity – Comply with Ph. Eur. 2.6.12 [2]				
TAMC	Ph. Eur. 2.6.12, limits by 5.1.8 C	Max. 500.000 CFU/g	< 1000 CFU/g	YES
TYMC	Ph. Eur. 2.6.12, limits by 5.1.8 C	Max. 50.000 CFU/g	< 100 CFU/g	YES
Bile-tolerant Gram-negative bacteria	Ph. Eur. 2.6.31	≤ 10^4 CFU/g	Absence/1g	YES
Escherichia coli	Ph. Eur. 2.6.31	Absence / 1 g	Absence/1g	YES
Salmonella sp.	Ph. Eur. 2.6.31	Absence / 25 g	Absence/25g	YES
Pseudomonas aeruginosa	Ph. Eur. 2.6.13, 5.1.8 C	Absence / 1 g	Absence / 1 g	YES
Staphylococcus aureus	Ph. Eur. 2.6.13, 5.1.8 C	Absence / 1 g	Absence / 1 g	YES

Testing sites:

[1] Lagom Pharmatech s.r.o.
č.p. 401, 338 21 Osek, CZ
GMP certificate No.: sukls133658/2026

[2] ITEST plus s.r.o.,
Kladská 1032, 500 03 Hradec Králové, CZ
GMP certificate No.: sukls280472/2025

[3] Genetia production s.r.o.
Inovační 122, 252 41 Zlatníky - Hodkovice,
GMP certificate No.: sukls225038/2025

[4] ALS Czech Republic s.r.o. (Pharmaceutical)
Na Harfě 336/9, 190 00 Praha, CZ
GMP certificate No.: sukls100817/2025

Conclusion of testing:

I hereby confirm that the information provided is true and complete. This batch of product has been analysed to the extent requested by the customer, in full compliance with EU-GMP requirements.

The certificate was issued by:	Monika Snaiberkova, QC
Controlled by:	Michaela Chvojkova, Head of QC
Number of pages:	2
Published on:	27.08.2026
Approved:	Tomas Fabricky, QM

Tomas Fabricky

Digitálně podepsal Tomas Fabricky
Datum: 2026.08.27 08:43:51 +02'00'